



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/015,996	12/10/2001	Stephen Carter	010079	3525
23696	7590	07/13/2009	EXAMINER	
QUALCOMM INCORPORATED 5775 MOREHOUSE DR. SAN DIEGO, CA 92121				D AGOSTA, STEPHEN M
ART UNIT		PAPER NUMBER		
		2617		
NOTIFICATION DATE			DELIVERY MODE	
07/13/2009			ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

us-docketing@qualcomm.com
kascanla@qualcomm.com
nanm@qualcomm.com



UNITED STATES DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10015996	12/10/01	CARTER ET AL.	010079

EXAMINER

QUALCOMM INCORPORATED
5775 MOREHOUSE DR.
SAN DIEGO, CA 92121

Stephen M.. D'Agosta

ART UNIT	PAPER
----------	-------

2617 20090707

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The examiner received an internal query from the publishing department regarding a discrepancy between the OATH and the BIB DATA Sheet (eg. the Oath was signed by 3 inventors while the BIB Sheet had only two). The inventor known as Harry Tong was missing from the BIB Sheet.

The examiner has added Mr. Tong since he was an original signer of the Oath and is believed to be a patentee of this patent.

If this is incorrect, the assignee should contact the examiner and/or publishing department directly.

Thank you.

/Stephen M. D'Agosta/
Primary Examiner, Art Unit 2617